
NOTE: SOME THINGS ON THIS SAMPLE EXAM MAY NOT BE RELEVANT TO THE CURRENT SEMESTER BECAUSE IT MAY NOT HAVE BEEN TAUGHT.

· ·		
Bio 221 – Concepts of Botany Dr. Hardy	Name:	
Exam 3 (Spring 2013)		
Instructions:	•	
-PLEASE DO NOT TURN THIS PAGE OVER INSTRUCTED YOU TO DO SO.	UNTIL PROF. HARDY HAS	
-Start by filling in your complete last name and be -Fill in your MU number in the Social Security need ALL possible answers, then choose THE I	ooth first and middle name initials. umber slot. BEST single answer.	
-Please do not turn this page over until Prof. Hard	dy has instructed you to do so.	

Questions 1-7, refer to the following diagram



Copposate : Stated Fernance Education for makeliables, se Princeso Bereikten Circumstate

- 1. Number "10" in the diagram above corresponds to a(n)...
- a. pistil
- b. carpel
- c. stigma
- d. style
- e. ovule
- 2. Number "1" in the diagram above corresponds to a(n)...
- a. anther
- b. filament
- c. stamen
- d. pistil
- e. petal

	3. Number "4" in the diagram above corresponds to a(n)
	a. pistil
	b. carpel
\subset	c. stigma
	d. style
	e. ovule
	4. Which of the numbers in the above diagram corresponds to a microsporophyll? a. number 1
	b. number 7
	c. number 8
	d. number 9
	e. number 10
	e. humoer 10
	5. Which of the numbers in the above diagram corresponds to a megasporophyll?
تصعندد	a. number 1
	b. number 7
	c. number 8
	d. number 9 e, number 10
	6. Which of the numbers in the above diagram points closest to a megagametophyte?
	a. number 1
	b. number 7
	c. number 8
	d. number 9
·	e. number 10

	7. Which of the numbers in the above diagram points to where pollen is made?
	a. number 8
_	b. number 2
	c. number 3
	d. number 4
	e. number 10

	8. The two largest groups of angiosperms are the a. Monocots and Cycads b. Cycads and Conifers
	a. Monocots and Cycads interms of numbers of species
	b. Cycads and Conifers
	c. Ginkgos and Conifers
	d. Eudicots and Conifers
$\overline{}$	e. Eudicots and Monocots
W.Onen	
	" K (15 ") "

9.	The two	largest	groups	of gymnos	perms	are	the
∕•	A ALC UTTE	, Itali — 6/36	Sivabo	OI STREET	A A A A A A A A A A A A A A A A A A A		~

- a. Monocots and Cycads
- (b. Cycads and Conifers)
 - c. Ginkgos and Conifers
 - d. Eudicots and Conifers
 - e. Eudicots and Monocots

interns of #sof species

10. From which group does rosin and turpentine come from?

- a. Monocots
- b. Eudicots
- c. Ginkgos
- d. Cyads
- e. Conifers

11. From which group do orchids and palms come from?

- a. Conifers
- b. Eudicots
- c. Ginkgos
- d. Cyads
- e. Monocots

12. Which group has the youngest fossil record?

- a. Conifers
- b. Lycopods
- c. Ginkgos
- d. Cyads
- ē. Monocots


13. Which group should have the oldest fossil record?

- a. Monocots
- b. Lycopods
- c. Ginkgos
- d. Cyads
- e. Liverworts

14. Which of the following groups does not have some species with a strobilus?

- a. Monocots
- b. Lycopods
- c. Ginkgos
- d. Cyads
- e. Liverworts

This exam is the converget 2013 and answerds of Christopher R. Hardy, and may not be sold or redistributed in essed, written consent.





17. Double fertilization is:

- a. Found in Gymnosperms, where one sperm fertilizes one egg, and another sperm fertilizes a second.
- b. Found in Angiosperms, where one sperm fertilizes one egg, and another sperm fertilizes a second.
- c. Found in Gymnosperms, where one sperm fertilizes one egg, and another sperm fuses with the two polar nuclei of the central cell.
- d. Found in Angiosperms, where one sperm fertilizes one egg, and another sperm fuses with the two polar nuclei of the central cell.

18. Which is the common name for Coffea arabica?

- a. coffee
- b. peyote
- c. cocaine
- d. tobacco
- e. caffeine





21. The plant shown at left is a

- a. gametophyte
- b. sporophyte.

22. The plant at left is probably a(n)

- a. fern
- b. club-moss (lycophyte)
- c. monocot
- d. cycad
- €. dicot

23. The branching at left is best described as

- a. axillary
- b. trichotomous
- c. dichotomous
- d. adventitious
- e. whorled

24. Stomata are the

between

- A) cells; subsidiary cells
- B) cells; guard cells-
- (C) pores; guard cells
- D) pores; subsidiary cells
- E) pores; trichomes

25. Roots employ amyloplasts to help sense gravity.

a. True

b. False

26. The primary food-conducting cells are

- A) sieve cells or sieve-tube members.
- B) tracheids and vessel elements.
- C) parenchyma cells.
- D) sclereids.
- E) phloem fibers.

•			T 44 3			• 1	
Z	7	'_	Lenticels	function	prim	arılv	m:
_	•	•				,	

- A) water transport.
- B) gas exchange.
- C) mineral uptake.
- D) protection.
- E) hormone production.

28. The O2 evolved (given off) in photosynthesis comes from:

a. CO₂.

b. water - see light reactions

- c. glucose.
- d. (CH₂O).
- e. $(C_3H_3O_3)$.

29. In apical dominance, the shoot apical meristem:

- a inhibits the growth of lateral buds.
 - b. stimulates the growth of lateral buds.
 - c. stimulates the upward growth of the stem.
 - d. stimulates the growth of leaves.
 - e. inhibits the downward growth of the root.

30. Which organelle in plant cells is thought to have arisen through endosymbiosis of a prokaryote symbiont?

- a, the golgi-apparatus.
- b. lysosomes.
- c. vacuoles.

d. the mitochondrion.


and the glastil, to.

31. A young seedling is able to stand straight-up due to

- a. a solid core of secondary xylem.
- b. a solid core of fibers in the center of the stem.
- c. turgor.
- d. both A and C.
- e. none of the above.

32. Which of the following statements is NOT consistent with the cohesion-tension theory?

- a. A gradient in water potential exists between the stem and the root.
- b Root pressure is essential to the pushing of water from roots to leaves.
- c. Water in the xylem is under tension.
- d. A gradient of water potential provides the driving force for the movement of water from the leaves, plant, and soil.
- e. Transpiration brings about a lowered water potential in the leaves.



- 35. Many secondary plant compounds are thought to protect plants from herbivores and insects. An important group of such compounds are the
- a. starches.
- b. complex sugars.
- c. phospholipids.
- d. alkaloids.
- e. proteins.
- 36. Light Reactions ...
- a. Make NADPH
- b. Fix carbon
- c. Make ATP
- d. Both A and B
- ce. Both A and C
 - 37. What pigment makes photosynthesis possible?
 - a. Eumelanin
 - b. Pheomelanin


c. chlorophyll

Questions 38-41, answer what the letters in the figure correspond. Use the following options.

A. Archegonium

B. Seed coat

C. Cotyledon D. Radicle E. Plumule



42. The three basic types of vegetative organs in plants are

- a. Internodes, nodes, leaves
- b. leaves, stems, roots
- c. roots, root hairs, and chloroplasts
- d. dermal tissue, vascular tissue, and ground tissue

43. Plants (Kingdom Plantae) include which of the following?

- a. Cyanobacteria, green algae, red-ałgae, brown algae, angiosperms, gymnosperms, ferns and fern allies, bryophytes.
- b. green algae, red algae, brown-algae, angiosperms, gymnosperms, ferns and fern allies, bryophytes
- c. angiosperms, gymnosperms, ferns and fern allies, bryophytes, algae
- d. angiosperms, gymnosperms, ferns and fern allies, mosses, liverworts, hornworts,
 - e. angiosperms, gymnosperms, ferns and fern allies, mosses, liverworts, hornworts

44. The vascular plants originated (evolved) directly from

- some red algal lineage.
- b. some cyanobacterial lineage.
- c. some green algal lineage.
- d. some gymnosperm lineage.
- e. some bryophyte-like lineage.

45. The Kingdom Plantae originated (evolved) directly from

- a. some red algal lineage.
- b. some cyanobacterial lineage.
- c. some green algal lineage.
- d. some gymnosperm lineage.
- some bryophyte lineage.

46. The Angiosperms originated (evolved) directly from

- a. some red algal lineage.
- b. some cyanobacterial lineage.
- c. some green algal lineage.
- d. some gymnosperm lineage.
- e. some bryophyte lineage.

47. Seed Plants include which of the following lineages?

- a. Ferns, angiosperms, gymnosperms, horsetails
- b. Ferns, angiosperms, gymnosperms, horsetails, lycophytes (e.g., Lycopodium)
- c. Ferns, angiosperms, gymnosperms, horsetails, lycophytes (e.g., Lycopodium)
- d. Angiosperms, gymnosperms
- e. Ferns, angiosperms, gymnosperms

48. Gemmae of some liverworts are multicellular structures involved in:

- a. protecting the young embryo.
- b. anchoring the plant to the soil.
- c. water and nutrient conduction.
- d. sexual reproduction.
- asexual reproduction.

49. Large kelp bodies are generally differentiated into three regions:

- a. filament, gametangia, and sporangia.
- cb. blade, holdfast, and stipe.
- c. gametophyte, sporophyte, and gametes. Not relevant in 2019
- d. blade, holdfast, and meristem.

50. The ovary of the flower matures into a(an)

- a. carpel.
- b. inferior ovary.
- c. pollen sac.
- d. fruit.
- e. seed.

51. A single card	el that matures	into a dry str	ructure that dehisces	along two sutures is a .	•••
or in single on the	01 011000 11100000.0	******************************			•••

- a. Capsule
- b. Berry
- c. Follicle do folcome for 2019


e. Drupe

52. A single carpel that matures into a dry structure that dehisces along one suture is a

- a. Capsule
- b. Berry
- c. Follicle
- d. Legume
- e. Drupé


Notrelevant in 2019

- 53. The structure diagrammed below is mostly fleshy but has a sclerified endocarp. What is it?
- a. Capsule
- b. Berry
- c. Follicle
- d. Legume
- e. Drupe



54. The pair of diagrams below shows...

- a. the development of a single simple fruit
- (b. the development of a multiple fruit
- c. the development of a compound fruit
- d. the development of an aggregate fruit
- e. the development of a complex fruit



55. Why are flagellate sperm not generally necessary in seed plants?

A. The question is not relevant, since all seed plants have flagellate sperm.

B. Because sperm do not have to swim through water to reach the egg of the female gametophyte, rather they are delivered there directly via the pollen.

C. Because sperm must swim to the egg of the female gametophyte.

56. Which of the following group of plants does not have flagellate sperm?

- A. Bryophytes
- B. Ferns
- C. Lycopods
- D. Cycads
- E. Angiosperms

a. d. All of the above e. None of the above

58. Which of the organisms in 57 above sometimes causes or is closely related to those that can cause paralytic shellfish poisoning?

(A)B, or C?

59. Which of the organisms in 57 above has the same chloroplast pigment profile as plants? A, B, or ©?)


60. The organism below is a

a. Chlamydomonas b. Chlorella

c. diatom


d. dinoflagellate

e. euglenoid




61. What is shown below?

- A. Oogamous sexual reproduction
- B. Asexual reproduction
- C. Isogamous sexual reproduction
- D. Conjugation
- E. Endosymbiosis



62. The ploidy of the filaments pictured below is...


- A. tetraploid
- B. pentaploid
- C. haploid
 - D. Diploid
 - E. triploid



63. In the picture below, some of the cells are already ______, and others are becoming _____.


A. tetraploid
B. pentaploid
C. haploid

D. Diploid
E. triploid



Not relevant in 2019

64. How many strobili are pictured below?
a. four b. three c. two d. one exero



Questions 65-68, identify the part pointed to by each question, using the following possible answers:

A. Leaf B. Bladder C. Stipe D. Holdfast E. Blade .

row Library © 1897 The McGraw-Hill Companies, Inc. All rights re

65.

We first the following possible answers:

66.

87019


69. Which best describes the leaf or leaves below?

a. simple b. pinnate c. 2-pinnate (bipinnate)

d. 3-pinnate (tripinnate) e. palmate


68.






70. The pictures below depict....

- A. a root cross-section from a dicot (left) and monocot (right).
- B. a root cross-section from a monocot (left) and dicot (right).
- C. a stem cross-section from a dicot (left) and monocot (right).
- D. a leaf cross-section from a monocot (left) and a dicot (right).
- E. astem cross-section from a monocot (left) and dicot (right).




71. Which of the following is not represented below?



72. What is(are) the structure(s) labeled by "3" below?

- A. Apical meristem
- B. Bud primordia
- -C. Leaf primordia
 - D. Stem primordia
 - E. Adventitious roots



2.

73. Which of the following chemicals is adenosine?

 H_2N

74. Which has more caffeine?

- A. a 1 oz cup of drip coffee.
- B. a l oz cup of espresso.
- C. a 1 oz cup of Coca-cola.

75. Coffea arabica is native to where?

- A. Australia
- B. Africa
- C. Arabia
- D. Asia
- E. South America