	Topi	c 10		
Seco	ondary Rayen Chap. 2 (pp. 30-	Metabolites 34), Chap 20 (497-498)		
	W	, , , , , , , , , , , , , , , , , , , ,		
			<u> </u>	
I. Plant Secon	dary Metaboli	ites		
A. Definitions				
1) 1° vs. 2	° Metabolism	-		
I. Plant Secon	dary Metaboli	tes		
B. Some 2 ° M				
Compound	Example Source	Human Use		
ALKALOIDS Codeine Nicotine	Opium poppy Tobacco	Narcotic pain relief; cough suppressant Narcotic; stimulant		
Quinine Cocaine	Quinine tree Coca	Used to treat malaria; tonic Narcotic, tea, anesthetic, stimulant		

I. Plant Secondary Metabolites

B. Some 2 ° Metabolites

Compound	Example Source	Human Use
41 KA1 OIDO		
ALKALOIDS Codeine	0-1	N
	Opium poppy	Narcotic pain relief; cough suppressant
Nicotine	Tobacco	Narcotic; stimulant
Quinine	Quinine tree	Used to treat malaria; tonic
Cocaine	Coca	Narcotic, tea, anesthetic, stimulant
PHENOLICS		
Tannin	Leaves, bark, acorns	Leather tanning, astringents
Salicin	Willows	Aspirin precursor
Tetrahydrocannabinol	Cannabis	Treatment for glaucoma & nausea

I. Plant Secondary Metabolites

B. Some 2 ° Metabolites

Compound	Example Source	Human Use
ALKALOIDS		
Codeine	Opium poppy	Narcotic pain relief; cough suppressant
Nicotine	Tobacco	Narcotic; stimulant
Quinine	Quinine tree	Used to treat malaria; tonic
Cocaine	Coca	Narcotic, tea, anesthetic, stimulant
PHENOLICS		
Tannin	Leaves, bark, acorns	Leather tanning, astringents
Salicin	Willows	Aspirin precursor
Tetrahydrocannabinol	Cannabis	Treatment for glaucoma & nausea
TERPENOIDS		
Camphor	Camphor tree	Component of medicinal oils, disinfectants
Menthol	Mints & eucalyptus	Strong aroma; cough medicines

I. Plant Secondary Metabolites

C. Ecology 1. Defense e.g., Nicotine



Steppuhn et al. 2004. *PLoS Biology* 2: 1074-1080.

I. Plant Secondary Metabolites

C. Ecology

1. Defense e.g., Nicotine





Source: Nicotiana tabacum
 Neurotoxic to most herbivores

I. Plant Secondary Metabolites

C. Ecology


1. Defense e.g., Nicotine





- But tobacco hornworm (a moth larva) can sequester & secrete it.







Mechanism

- 1. Herbivory induces jasmonic acid (JA) production.
- 2. JA to roots, stimulates nicotine synthesis.
- 3. Nicotine to shoots via xylem

I. Plant Secondary Metabolites


C. Ecology 1. Defense 2. Attraction


e.g., colors & floral fragrances





I. Plant Secondary Metabolites

D. Storage












II. Caffeine case study A. Caffeine	
-First IDed in Coffea ara	DICA.
Species: <i>Coffee arabica</i> (arabica coffee) Family: Rubiaceae. Nativity: NE Africa.	



II. Caffeine case study B. Alkaloids in general Secondary metabolites Nitrogenous, cyclic Psychoactive (act on CNS): herbivory defense H3C CH3 CH3	
II. Caffeine case study C. Ecological role of caffeine in nature 1. Excess can over stimulate CNS	
II. Caffeine case study C. Ecological role of caffeine in nature 1. Excess can over stimulate CNS Spider web manufacture when influenced by caffeine.	
control with caffeine	

C. Ecological r	ole of caffeine in nature
	ccess can over stimulate CNS Iffeine's natural role noticed by Monsanto.
	Minerants in the UK. Soresh Primer: Encephage Centre: Discontinue. About Minerants: Long I: Comments & Countries: Research States
Information Systems for Biotechnology By Januar Kinnina Friday, 8th April, 2007	Caffeine Producing Transgenic Tobacco: A Novel Pest Control Strategy Caffeine (1.2 - Assembly scarthing) is an alkaled composed that acts as a central names system stimulant is harmon and in Bally the send's most propular psychostics substance. Caffeine is generally found in the harmon saves, and fault of one 55 plants, where it acts as a natural periodic paralyzing and slight of the harmon saves, and that if one 65 plants, where it acts as a natural periodic paralyzing and slight periodic paralyzing and slight in the latter of years and properly and strains in the save can be seen as the 1 transfer coding parties with present or innext resustance and hemicolds training and engineer acceleration of coding parties with present or innext resustance and hemicolds training and engineer acceleration coding understanding parties with present or innext resustance and hemicolds training and engineer acceleration coding and control or some control or s
Search Ad News	coffee for instruction. Verlinory accounts to approximately 37% less in world agriculture production. Clus to its natural architecture, function, caffeing production within food crops may provide one useful means for protecting imposted crops. Research indicates the exproactive protection (long) respiral and organization of protecting imposted crops, released in meets the function stand of the relined compound theophylinic found in the little compound the opposition of the latest organization of the protection of the latest standard with cubines and the relined compound theophylinic found in the latest latest organization of the compound the protection of the latest latest and the latest lat

II. Caffeine case study

- C. Ecological role of caffeine in nature
 - 1. Excess can over stimulate CNS

www.monsanto.co.uk

2. Vertebrate diuretic

D. Caffeine's effects on CNS

- Caffeine from coffee in blood w/in 5 min
 Stimulates heart
 Increases stomach acidity
 Increases urine output
 10% rise in metabolic rate

- •Mimics feelings assoc. w/ adrenaline



caffeine

D. Caffeine's effects on CNS

Caffeine from coffee in blood w/in 5 min
Stimulates heart
Increases stomach acidity
Increases urine output
10% rise in metabolic rate

•Mimics feelings assoc. w/ adrenaline



caffeine

•Excess (1 g; 10 cups) can cause anxiety, headache, dizziness, insomnia, heart palpitations, delirium, 4% lower birth weights.

D. Caffeine's effects on CNS

- Caffeine from coffee in blood w/in 5 min
 Stimulates heart
 Increases stomach acidity
 Increases urine output
 10% rise in metabolic rate

•Mimics feelings assoc. w/ adrenaline



caffeine

•Excess (1 g; 10 cups) can cause anxiety, headache, dizziness, insomnia, heart palpitations, delirium, 4% lower birth weights.

•Ranks as most widely used psychoactive drug worldwide (coffee, tea, additives to soft drinks)

D. Caffeine's effects on CNS

How?

Antagonist of adenosine.

- Adenosine:
 Attaches to brain cell receptors.
 Neurotransmitter inhibitor.
 Promotes sleep (accumulates in brain each waking hour).
 Suppresses arousal.



caffeine



adenosine

E. Caffeine and Parkinson's prevention?

What is Parkinson's Disease?

•no cure, just treatments

•Loss of muscular control: trembling arms and legs, trouble speaking, and Poor coordination
 Associated with loss of dopamine-transmitting neurons in midbrain

E. Caffeine and Parkinson's prevention?


What is Parkinson's Disease?

•no cure, just treatments
•symptoms of trembling arms and legs, trouble speaking, and difficulty coordinating movement

Associated with loss of dopamine-secreting neurons in the midbrain.
Dopamine levels fall, and the balance between dopamine and other neurotransmitters disrupted, affecting muscular control
Blocking of adenosine receptors elevates levels of dopamine in brain.

E. Caffeine and Parkinson's prevention?

Honolulu Heart Program study of 8,000+ men over 30?



Blocking of adenosine receptors by caffeine elevates levels of dopamine in brain.

F. Caffeine and Theobromine are similar in structure and action

Table 1. Stimulant alkaloids in world's major stimulating beverages (Simpson 1986). Given in % weight. Amt. in particular beverage depends on how it is made.

Plant, part	Caffeine	Theobromine
Coffee, unroasted, dried seeds	1-1.5	
tea, dried lvs.	2.5-4.5	
Cacao, dried or fresh seeds	0.6-0.8	1.7-2.4
Kola, fresh seeds	2.0	
Guarana, dried fruit	3.0-4.5	

G. Caffeine in some beverages

Table 2. Caffeine quantities in select beverages.

Drink	Caffeine (mg)
Coffee (Starbucks)	
12 oz drip	240
1 oz espresso	?
12 oz drip decaf	19



G. Caffeine in some beverages

Table 2. Caffeine quantities in select beverages.

Drink	Caffeine (mg)
Coffee (Starbucks)	
12 oz drip	240
1 oz espresso	75
12 oz drip decaf	19



Table 6. Average caffeine content in products (most amounts from the Center for Science in the Public Interest, 2007; chocolate amounts from Simpson and

Product	Caffeine (to the nearest mg)
Coffee (Starbucks)	
12 oz drip coffee	240
1 oz espresso	75
12 oz drip decaf coffee	19
Tea (various)	
12 oz brewed tea	80 (60-180)
12 oz Nestea	26
12 oz Snapple	14-32
Cocoa and chocolate	
(various)	
12 oz, from powder	14 (4.5-20)
1 oz baking choc	35
1 oz dark choc	20
1 oz milk choc	6
Soda (various)	
8.3 oz Red Bull	80
12 oz Jolt Cola	72
12 oz Mountain Dew	54
12 oz Dr. Pepper	42
12 oz Pepsi	38
12 oz Coca-Cola Classic	35



III. Coffea


A. Sysematics


- 1. Genus Coffea
- 2. Coffea contains nearly 100 spp., tropical Africa & Asia
- 3. Commercial spp: C. arabica, C. caneophora, C. liberica (all African)














III Coffee


D. Coffee is a major commodity globally.



Table 3. Production of top 3 stimulant b	beverages.
--	------------

Coffea arabica (arabica coffee)

Top 3 continents Coffee		Total (MT)	
		5,919	
1.	S Amer		
2.	Africa		
3.	N & C Amer		
Tea		2,473	
1.	Asia		
2.	Africa		
3.	S Amer		
Cocoa		2,329	
1.	Africa		
2.	S Amer		
3.	Asia		





III. Coffea E. Coffee origins Coffea arabica, Ethiopian highlands Relatively few Africans drink it. Traditionally chewed leaves & fruits. Relief of fatigue, hunger on hunts.

E. Coffee (the drink) developed in Yemen

Arrival in Yemen 13-14 century, where it was first brewed (hence, Coffea arabica).



ca. 1900

F. Coffee timeline

- 1. Yemen 13-14th century.
- 2. Arabia to Egypt by 1510.
- 3. To Italy & Europe by 1616.
- 4. Vienna priests threatened by "coffee culture", but Pope Clement VIII would not ban coffee.
- 5. To England by 1650 and coffee houses became important socio-politico institutions.
- 6. Europe looked to break Arabian monopoly on production.
 (Arabs killed embryos in seeds before export).

7. Spread of Coffee production •Dutch obtained live seeds from Mocha (Red Sea Coast, Yemen, 1706)	
 Throughout Dutch colonies in Indonesia (e.g., Java) and to S America by 1717. 	
•Today, Brazil is world's leading producer.	-
Coffea canephora or 'robusta'	
m both a Coffea arabica	